REQUIREMENTS FOR DARK, HARD AND VITREOUS KERNELS OF HARD RED SPRING WHEAT SUBCLASSES OR HARD AND VITREOUS KERNELS IN DURUM WHEAT SUBCLASSES

Hard Red Spring Wheat Subclasses	Percentage	Durum Wheat Subclasses	Percentage
Dark Northern Spring (DNS)	75% or more	Hard Amber Durum (HAD)	75% or more
Northern Spring (NS)	25% or more but less than 75%	Amber Durum (AD)	60% or more but less than 75%
Red Spring (RS)	Less than 25%	Durum (Durum)	Less than 60%

GRADES AND GRADE REQUIREMENTS FOR ALL CLASSES OF WHEAT, EXCEPT OF OTHER CLASSES DOES NOT APPLY TO MIXED WHEAT

	Minimum		Maximum limits of							
	Test weight per bushel		Damaged kernels					Wheat of other classes ²		
	Hard Red	All other								
	Spring	classes and	Heat			Shrunken				
	Wheat or	subclasses	(part of		Foreign	and broken	Total	Contrasting		
	White Club		total)	Total	material	kernels	Defects ¹	classes	Total ³	Stones
	wheat	TW	HD	TKD	FM	SB	TD	CC	TWOC	
Grade	(pounds)	(pounds)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
U.S. No. 1	58.0	60.0	0.2	2.0	0.4	3.0	3.0	1.0	3.0	0.1
U.S. No. 2	57.0	58.0	0.2	4.0	0.7	5.0	5.0	2.0	5.0	0.1
U.S. No. 3	55.0	56.0	0.5	7.0	1.3	8.0	8.0	3.0	10.0	0.1
U.S. No. 4	53.0	54.0	1.0	10.0	3.0	12.0	12.0	10.0	10.0	0.1
U.S. No. 5	50.0	51.0	3.0	15.0	5.0	20.0	20.0	10.0	10.0	0.1

U.S. Sample gradeis wheat that

- (a) Does not meet the requirements for the grades U.S. Nos. 1,2,3,4, or 5; or
- (b) Has a musty, sour, or commercially objectionable foreign odor (except smut or garlic odor); or
- (c) Is heating or of distinctly low quality.

MAXIMUM COUNT LIMITS OF OTHER MATERIALS

per 1000 gram sample

	Animal Filth AF (count)	Castor Beans (CB (count)	Crotalaria Seeds (CS (count)	Glass GL (count)	Stones ST (count)	Unknown Foreign Substance (count) UFS	Total ⁴ TC (count)	Insect Damaged Kernels in 100 grams ^{ID}	
U.S. No. 1	1	1	2	0	3	3	4	31	
U.S. No. 2	1	1	2	0	3	3	4	31	
U.S. No. 3	1	1	2	0	3	3	4	31	
U.S. No. 4	1	1	2	0	3	3	4	31	
U.S. No. 5	1	1	2	0	3	3	4	31	
U.S. sample gra	U.S. sample gradedoes not meet the count limits								

Defects include damaged kernels (total), foreign material, and shrunken and broken kernels. The sum of these three factors may not exceed the limit for defects for each numerical grade.

ADD THESE SPECIAL GRADES TO ABOVE, IF APPLICABLE

Ergoty - contains more than 0.05 percent ergot

Garlicky - contains more than 2 green garlic bulblets or an equivalent quantity of dry bulblets per 1000 gram sample

 $\textbf{Infested} \text{ -} infested with live we evils or other live insects injurious to stored grain}$

Treated - has been scoured, limed, washed, sulfured, or treated in such a manner that the true quality is not reflected by either the numerical grade or the U.S. Sample grade alone

Light Smutty - wheat that has an unmistakable odor of smut, or which contains 6 - 30 smut balls, portions of smut balls or spores of smut of average size per 250 gram sample

Smutty - contains more than 30 smut balls, portions of smut balls, or spores of smut of average size per 250 gram sample

Unclassed wheat of any grade may contain not more than 10.0 percent of wheat of other classes.

Includes contrasting classes.

Includes any combination of animal filth, caster beans, crotalaria seed, glass, stones, or unknown foreign substance.